Verbatim My Finder Personal Buscador Negro, Blanco

Marca : Verbatim

Código del producto: 32131

Nombre del producto : My Finder

Verbatim My Finder. Utilizar con: Personal, Tipo de producto: Buscador, Color del producto: Negro, Blanco. Versión USB: 3.2 Gen 1 (3.1 Gen 1). Tipo de batería: CR2032. Sistemas operativos móviles soportados: iOS. Peso: 13 g, Ancho: 43 mm, Profundidad: 44 mm





Features		Operational conditions	
Purpose * Product type *	Personal Finder	Operating relative humidity (H-H) Storage temperature (T-T)	80 - 90% 0 - 40 °C
Product colour *	Black, White	Weight & dimensions	
Housing material Protection features * International Protection (IP) code Electronic compass *	Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC) Dust resistant, Waterproof IP66 X	Width Depth Height Weight *	43 mm 44 mm 11 mm 13 g
Alarm function		Packaging content	
LED indicators Plug and Play	<i>.</i>	Quantity per pack Batteries included	2 pc(s) ✓
Compatible products	Apple iPhone, iPad, MacBook	Packaging data	
Display Built-in display * Memory	×	Package width Package depth Package height Package weight	31 mm 59 mm 90 mm 40 g
Built-in memory *	×	Sustainability	
Memory card slot(s) *	×	Sustainability compliance	1
Ports & interfaces		Technical details	
Bluetooth *	✓	Compliance certificates	REACH, RoHS
Bluetooth version USB port *	5.2 ✓	Logistics data	
USB version	3.2 Gen 1 (3.1 Gen 1)	Country of origin	China
Battery Battery type Removable battery Replaceable battery	CR2032	Products per shipping (inner) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Products per master (outer) case	12 pc(s) 19 cm 10.4 cm 6.8 cm 120 pc(s)

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date

Battery		Logistics data	
Battery level indicator	1	Master (outer) case length	360 mm
Software		Master (outer) case width Master (outer) case height	225 mm 210 mm
Mobile operating systems supported iOS		Master (outer) case height	210 11111
Operational conditions			

Operating temperature (T-T) -20 - 60 °C





023942321316

0023942321316





Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.